

HDMI Cable

High Performance Digital Cable

GPHD-AA-XXM

For high definition all-digital video are displayed in a pure digital form that looks its best. GoldX Products® HDMI (High Definition Multimedia Interface) cable by JDI, with enhanced durability and optimized signal transfer, offers an extraordinary high-definition video experience.

The connectors of the HDMI Cable are especially molded to provide a textured comfort grip to make the installation of the product easier.

The maintenance of signal integrity is also assured by a high-density, triple-layer shielding. An oxygen-free copper durable PVC jacket surrounds the center conductor. This yields a high quality digital signal along with flexibility strength and appeal. The inner shield has 100% Mylar backed aluminum foil. This prevents high frequency signal noise and interference. The outer shield consists of a copper braid, which prevents most low frequency signal noise and interference.

The 24k gold contacts make for maximum signal transfer and corrosion resistance. These contacts are precision-machined and provide reduced signal loss at the connectors.

Features:


- 24K Gold plated studio grade connectors
- Improved signal transfer with high grade oxygen free copper wire
- Multiple Layer Shielding reduces interference, noise and distortion
- Corrosion-resistant connectors designed for maximum conductivity and low signal loss
- Balanced cable for optimum performance
- Designed for HDMI interfaces and Hi-Def Video Signals (720p, 1080i and 1080p)



Available lengths in Meters



Comfort Grip Molding



© Copyright 2007 Jo-Dan International, Inc. all rights reserved. Plus Series®, PowerCore®, QuickConnect®, Share Plus®, and GoldX® Products are registered trademarks of Jo-Dan International, Inc. All other trademarks and registered trademarks are the property of their respective owners. Designed in USA. Made in China. One or more of the following patents may apply: D494,935, D494,934, D494,932, D493,453, 6,755,676, D490,702, 6,736,658, 6,726,509, 6,716,047, D485,752, D484,044, D481,629, D481,628, 6,607,408, D478,001, D478,000, D468,635, 6,479,607, D465,223,6,454,584, D462,612, D452,427, D452,426, D451,888, D451,480, D450,303, D448,736, D444,772, D443,862, D443,593, D442,919, D442,556, D442,555, 5,788,521, 5,658,158, 5,334,033, 5,292,257. D503,882; 6,843,684; 6,854,989; 6,872,086; D506,386; 6,905,374; D509,797; 6,991,483; D513,976; 7,004,787; 7,028,114; D519,925; D522,507; 7,258,572. Other patents pending.